

VciLocalRingFast

1) Functional Description

This hardware component is a VCI compliant ring, implemented as a combinational daisy-chain and well suited for FPGA implementations. It must only be used in clusterized architecture, to interconnect a limited number of VCI initiators and targets in a local sub-system.

Policy arbitration uses a circulating token which allows the wrappers to access the ring in a round-robin fashion.

2) Component definition & usage

[source:trunk/soclib/soclib/module/network_component/vci_local_ring_fast/caba/metadata/vci_local_ring_fast.sd?](#)

3) CABA implementation

CABA sources

- interface :
[source:trunk/soclib/soclib/module/network_component/vci_local_ring_fast/caba/source/include/vci_local_ring_fast.h](#)
- implementation :
[source:trunk/soclib/soclib/module/network_component/vci_local_ring_fast/caba/source/src/vci_local_ring_fast.cpp?](#)

CABA Constructor parameters

```
VciLocalRingNetwork( sc_module_name insname,           // instance name
                    const soclib::common::MappingTable &mt, // mapping table
                    const soclib::common::IntTab &ringid,  // global subsystem index
                    const int &wrapper_fifo_depth,         // wrapper fifo depth
                    const int &half_gateway_fifo_depth,    // half gateway fifo depth
                    int nb_attached_initiator,              // number of VCI initiators
                    int nb_attached_target);                // number of VCI targets
```

CABA ports

- sc_in<bool> p_clk; *Global system clock*
- sc_in<bool> p_resetn; *Global system reset*
- soclib::caba::VciInitiator<vci_param>* p_to_target; *Ports to VCI targets*
- soclib::caba::VciTarget<vci_param> * p_to_initiator; *Ports to VCI initiators*
- soclib::caba::GateInitiator p_gate_initiator; *Port to gate target*
- soclib::caba::GateTarget p_gate_target; *Port to gate initiator*

4) TLMT implementation

The TLM-T implementation is not available yet.