

Get the sources

You will need gnu binutils and gcc. They are available on ftp.gnu.org or any gnu mirror. Let's unpack sources:

```
$ mkdir src  
$ cd src  
$ tar xjf ....../binutils-2.xx.tar.bz2  
$ tar xjf ....../gcc-x.x.x.tar.bz2  
$
```

Compilation

Now lets compile. I assume we'll need to compile more toolchains later, so let's share the sources and compile in a separate directory:

```
$ cd ..  
$ mkdir build build/mipsel build/mipsel/binutils build/mipsel/gcc
```

First, binutils

```
$ cd build/mipsel/binutils  
$ ../../src/binutils-2.x/configure --prefix=/where/to/put/it --target=mipsel-unknown-elf \  
--program-prefix=mipsel-unknown-elf-  
$ make  
$ make install  
$
```

Export the `bin` directory of your installation path, if not already in it. You should make this permanent by setting the PATH variable in a shell's startup script.

```
$ export PATH=$PATH:/where/to/put/it/bin  
$
```

Now gcc

```
$ cd ../../gcc  
$ ../../src/gcc-x.x.x/configure --program-prefix=mipsel-unknown-elf- --prefix=/where/to/put/  
--enable-languages=c --target=mipsel-unknown-elf --host=i686-pc-linux-gnu  
$ make  
$ make install  
$
```

We're done !